

Environment Builder (formerly db/build)

http://www.test.ca/

dev → build

Building Database test2

Creating database tables

- PageComment
- SiteConfig
- SiteTree
- Field SiteTree.ClassName: changed to enum('SiteTree', 'Page', 'ErrorPage', 'RedirectorPage', 'VirtualPage', 'UserDefinedForm') character set utf8 collate utf8_general_ci default 'SiteTree' (from enum('SiteTree', 'Page', 'ErrorPage', 'RedirectorPage', 'VirtualPage') character set utf8 collate utf8_general_ci default 'SiteTree')
- Field SiteTree_Live.ClassName: changed to enum('SiteTree','Page','ErrorPage','RedirectorPage','VirtualPage','UserDefinedForm') character set utf8 collate utf8_general_ci default 'SiteTree' (from enum('SiteTree','Page','ErrorPage','RedirectorPage','VirtualPage') character set utf8 collate utf8 general_ci default 'SiteTree')
- Field SiteTree_versions.ClassName: changed to enum("SiteTree', "Page', "ErrorPage', "RedirectorPage', "VirtualPage', "UserDefinedForm") character set utf8 collate utf8_general_ci default 'SiteTree' (from enum("SiteTree', "Page', "ErrorPage', "RedirectorPage', "VirtualPage") character set utf8 collate utf8_general_ci default 'SiteTree')
- Email BounceRecord
- QueuedEmail
- File
- Group
- LoginAttempt
- Member
- MemberPassword
- Permission
- PermissionRole
- PermissionRoleCode
- Widget
- Field Widget.ClassName: changed to enum('Widget', 'whois') character set utf8 collate utf8_general_ci default 'Widget' (from enum('Widget') character set utf8 collate utf8_general_ci default 'Widget')
- WidgetArea
- UserDefinedForm_EmailRecipient
- Table UserDefinedForm_EmailRecipient: created
- Field UserDefinedForm_EmailRecipient.ID: created as int(11) not null auto_increment
- Field UserDefinedForm_EmailRecipient.ClassName: created as enum('UserDefinedForm_EmailRecipient') character set utf8 collate utf8_general_ci default 'UserDefinedForm_EmailRecipient'
- Field UserDefinedForm EmailRecipient.Created: created as datetime
- Field UserDefinedForm_EmailRecipient.LastEdited: created as datetime
- Field UserDefinedForm EmailRecipient.EmailAddress: created as varchar(200) character set utf8 collate utf8 general ci
- Field UserDefinedForm_EmailRecipient.EmailSubject: created as varchar(200) character set utf8 collate utf8_general_ci
- Field UserDefinedForm_EmailRecipient.EmailFrom: created as varchar(200) character set utf8 collate utf8_general_ci
- Field UserDefinedForm_EmailRecipient.EmailBody: created as mediumtext character set utf8 collate utf8_general_ci
- Field UserDefinedForm_EmailRecipient.SendPlain: created as tinyint(1) unsigned not null default 0
- Field UserDefinedForm_EmailRecipient.HideFormData: created as tinyint(1) unsigned not null default 0
- Field UserDefinedForm_EmailRecipient.FormID: created as int(11) not null default 0
- Field UserDefinedForm_EmailRecipient.SendEmailFromFieldID: created as int(11) not null default 0
- Field UserDefinedForm_EmailRecipient.SendEmailToFieldID: created as int(11) not null default 0
- Index UserDefinedForm_EmailRecipient.FormID: created as (FormID)
- Index UserDefinedForm_EmailRecipient.SendEmailFromFieldID: created as (SendEmailFromFieldID)
- Index UserDefinedForm_EmailRecipient.SendEmailToFieldID: created as (SendEmailToFieldID)
- Index UserDefinedForm_EmailRecipient.ClassName: created as (ClassName)
- EditableFormField
- Table EditableFormField: created
- Field EditableFormField.ID: created as int(11) not null auto_increment
- Field EditableFormField.ClassName: created as
 - enum('EditableFormField', 'EditableCheckbox', 'EditableDateField', 'EditableEmailField', 'EditableField', 'EditableFormHeading', 'EditableLiteralField', 'EditableFormField' character set utf8 collate utf8_general_ci default 'EditableFormField'
- Field EditableFormField.Created: created as datetime
- Field EditableFormField.LastEdited: created as datetime
- Field EditableFormField.Name: created as varchar(50) character set utf8 collate utf8_general_ci
- Field EditableFormField.Title: created as varchar(255) character set utf8 collate utf8_general_ci

- Field EditableFormField.Default: created as varchar(50) character set utf8 collate utf8_general_ci
- Field EditableFormField.Sort: created as int(11) not null default 0
- Field EditableFormField.Required: created as tinyint(1) unsigned not null default 0
- Field EditableFormField.CanDelete: created as tinyint(1) unsigned not null default 0
- Field EditableFormField.CustomErrorMessage: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableFormField.CustomRules: created as mediumtext character set utf8 collate utf8 general ci
- Field EditableFormField.CustomSettings: created as mediumtext character set utf8 collate utf8_general_ci
- Field EditableFormField.Version: created as int(11) not null default 0
- Field EditableFormField.ParentID: created as int(11) not null default 0
- Index EditableFormField.ParentID: created as (ParentID)
- Index EditableFormField.ClassName: created as (C Unable to translate selected text.
- Table EditableFormField_Live: created
- Field EditableFormField_Live.ID: created as int(11) not null auto_increment
- Field EditableFormField_Live.ClassName: created as
- enum('EditableFormField','EditableCheckbox','EditableDateField','EditableEmailField','EditableFileField','EditableFormHeading','EditableLiteralField','EditableFormField' character set utf8 collate utf8 general ci default 'EditableFormField'
- Field EditableFormField_Live.Created: created as datetime
- Field EditableFormField_Live.LastEdited: created as datetime
- Field EditableFormField_Live.Name: created as varchar(50) character set utf8 collate utf8_general_ci
- Field EditableFormField_Live.Title: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableFormField_Live.Default: created as varchar(50) character set utf8 collate utf8_general_ci
- Field EditableFormField_Live.Sort: created as int(11) not null default 0
- Field EditableFormField_Live.Required: created as tinyint(1) unsigned not null default 0
- Field EditableFormField Live.CanDelete: created as tinyint(1) unsigned not null default 0
- Field EditableFormField_Live.CustomErrorMessage: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableFormField_Live.CustomRules: created as mediumtext character set utf8 collate utf8_general_ci
- Field EditableFormField_Live.CustomSettings: created as mediumtext character set utf8 collate utf8_general_ci
- Field EditableFormField Live.Version: created as int(11) not null default 0
- Field EditableFormField Live.ParentID: created as int(11) not null default 0
- Index EditableFormField_Live.ParentID: created as (ParentID)
- Index EditableFormField_Live.ClassName: created as (ClassName)
- Table EditableFormField versions: created
- Field EditableFormField_versions.ID: created as int(11) not null auto_increment
- Field EditableFormField versions.RecordID: created as int(11) not null default 0
- Field EditableFormField_versions.Version: created as int(11) not null default 0
- Field EditableFormField_versions.WasPublished: created as tinyint(1) unsigned not null default 0
- Field EditableFormField_versions.AuthorID: created as int(11) not null default 0
- Field EditableFormField_versions.PublisherID: created as int(11) not null default 0
- Field EditableFormField_versions.ClassName: created as enum('EditableFormField','EditableCheckbox','EditableDateField','EditableEmailField','EditableField','EditableFormHeading','EditableLiteralField','EditableFormHeading','EditableLiteralField','EditableFormHeading','EditableFormHeading','EditableLiteralField','EditableFormHeading','EditableFormHe
- character set utf8 collate utf8_general_ci default 'EditableFormField'
 Field EditableFormField versions.Created: created as datetime
- Field EditableFormField_versions.LastEdited: created as datetime
- Field EditableFormField_versions.Name: created as varchar(50) character set utf8 collate utf8_general_ci
- Field EditableFormField_versions.Title: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableFormField_versions.Default: created as varchar(50) character set utf8 collate utf8_general_ci
- Field EditableFormField_versions.Sort: created as int(11) not null default 0
- Field EditableFormField_versions.Required: created as tinyint(1) unsigned not null default 0
- Field EditableFormField_versions.CanDelete: created as tinyint(1) unsigned not null default 0
- Field EditableFormField_versions.CustomErrorMessage: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableFormField_versions.CustomRules: created as mediumtext character set utf8 collate utf8_general_ci
- Field EditableFormField_versions.CustomSettings: created as mediumtext character set utf8 collate utf8_general_ci
- Field EditableFormField_versions.ParentID: created as int(11) not null default 0
- Index EditableFormField_versions.RecordID_Version: created as (RecordID, Version)
- Index EditableFormField_versions.RecordID: created as (RecordID)
- Index EditableFormField_versions.Version: created as (Version)
- Index EditableFormField versions.AuthorID: created as (AuthorID)
- Index EditableFormField versions.PublisherID: created as (PublisherID)
- Index EditableFormField_versions.ParentlD: created as (ParentlD)
 Index EditableFormField_versions.ClassName: created as (ClassName)
- EditableOption
- Table EditableOption: created
- Field EditableOption.ID: created as int(11) not null auto_increment
- Field EditableOption.ClassName: created as enum('EditableOption') character set utf8 collate utf8_general_ci default 'EditableOption'
- Field EditableOption.Created: created as datetime
- Field EditableOption.LastEdited: created as datetime
- Field EditableOption.Name: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableOption.Title: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableOption.Default: created as tinyint(1) unsigned not null default 0

- Field EditableOption.Sort: created as int(11) not null default 0
- Field EditableOption.Version: created as int(11) not null default 0
- Field EditableOption.ParentID: created as int(11) not null default 0
- Index EditableOption.ParentID: created as (ParentID)
- Index EditableOption.ClassName: created as (ClassName)
- Table EditableOption_Live: created
- Field EditableOption_Live.ID: created as int(11) not null auto_increment
- Field EditableOption_Live.ClassName: created as enum('EditableOption') character set utf8 collate utf8_general_ci default 'EditableOption'
- Field EditableOption Live.Created: created as datetime
- Field EditableOption_Live.LastEdited: created as datetime.
- Field EditableOption_Live.Name: created as varcha Unable to translate selected text. utf8_general_ci
- Field EditableOption_Live.Title: created as varchar(255) cnaracter set uπε collate utf8_general_ci
- Field EditableOption_Live.Default: created as tinyint(1) unsigned not null default 0
- Field EditableOption_Live.Sort: created as int(11) not null default 0
- Field EditableOption_Live.Version: created as int(11) not null default 0
- Field EditableOption Live.ParentID: created as int(11) not null default 0
- Index EditableOption_Live.ParentID: created as (ParentID)
- Index EditableOption_Live.ClassName: created as (ClassName)
- Table EditableOption_versions: created
- Field EditableOption_versions.ID: created as int(11) not null auto_increment
- Field EditableOption_versions.RecordID: created as int(11) not null default 0
- Field EditableOption_versions. Version: created as int(11) not null default 0
- Field EditableOption_versions.WasPublished: created as tinyint(1) unsigned not null default 0
- Field EditableOption versions.AuthorID: created as int(11) not null default 0
- Field EditableOption_versions.PublisherID: created as int(11) not null default 0
- Field EditableOption_versions.ClassName: created as enum('EditableOption') character set utf8 collate utf8_general_ci default 'EditableOption'
- Field EditableOption_versions.Created: created as datetime
- Field EditableOption_versions.LastEdited: created as datetime
- Field EditableOption versions.Name: created as varchar(255) character set utf8 collate utf8 general ci
- Field EditableOption_versions.Title: created as varchar(255) character set utf8 collate utf8_general_ci
- Field EditableOption_versions.Default: created as tinyint(1) unsigned not null default 0
- Field EditableOption versions.Sort: created as int(11) not null default 0
- Field EditableOption_versions.ParentID: created as int(11) not null default 0
- Index EditableOption_versions.RecordID_Version: created as (RecordID, Version)
- Index EditableOption_versions.RecordID: created as (RecordID)
- Index EditableOption_versions.Version: created as (Version)
- Index EditableOption_versions.AuthorID: created as (AuthorID)
- Index EditableOption_versions.PublisherID: created as (PublisherID)
- Index EditableOption_versions.ParentID: created as (ParentID)
- Index EditableOption_versions.ClassName: created as (ClassName)
- SubmittedForm
- Table SubmittedForm: created
- Field SubmittedForm.ID: created as int(11) not null auto_increment
- Field SubmittedForm.ClassName: created as enum('SubmittedForm') character set utf8 collate utf8_general_ci default 'SubmittedForm'
- Field SubmittedForm.Created: created as datetime
- Field SubmittedForm.LastEdited: created as datetime
- Field SubmittedForm.SubmittedByID: created as int(11) not null default 0
- Field SubmittedForm.ParentID: created as int(11) not null default 0
- Index SubmittedForm.SubmittedByID: created as (SubmittedByID)
- Index SubmittedForm.ParentID: created as (ParentID)
- Index SubmittedForm.ClassName: created as (ClassName)
- SubmittedFormField
- Table SubmittedFormField: created
- Field SubmittedFormField.ID: created as int(11) not null auto_increment
- Field SubmittedFormField.ClassName: created as enum('SubmittedFormField', 'SubmittedFileField') character set utf8 collate utf8_general_ci default 'SubmittedFormField'
- Field SubmittedFormField.Created: created as datetime
- Field SubmittedFormField.LastEdited: created as datetime
- Field SubmittedFormField.Name: created as varchar(50) character set utf8 collate utf8_general_ci
- Field SubmittedFormField.Value: created as mediumtext character set utf8 collate utf8_general_ci
- Field SubmittedFormField.Title: created as varchar(255) character set utf8 collate utf8_general_ci
- Field SubmittedFormField.ParentID: created as int(11) not null default 0
- Index SubmittedFormField.ParentID: created as (ParentID)
- Index SubmittedFormField.ClassName: created as (ClassName)
- Page
- ErrorPage
- RedirectorPage
- VirtualPage
- UserDefinedForm

- Table UserDefinedForm: created
- Field UserDefinedForm.ID: created as int(11) not null auto increment
- Field UserDefinedForm.SubmitButtonText: created as varchar(50) character set utf8 collate utf8 general ci
- Field UserDefinedForm.OnCompleteMessage: created as mediumtext character set utf8 collate utf8_general_ci
- Field UserDefinedForm.ShowClearButton: created as tinyint(1) unsigned not null default 0
- Field UserDefinedForm.DisableSaveSubmissions: created as tinyint(1) unsigned not null default 0
- Table UserDefinedForm_Live: created
- Field UserDefinedForm_Live.ID: created as int(11) not null auto_increment
- Field UserDefinedForm Live.SubmitButtonText: created as varchar(50) character set utf8 collate utf8 general ci
- Field UserDefinedForm_Live.OnCompleteMessage: created as mediumtext character set utf8 collate utf8_general_ci
- Field UserDefinedForm Live.ShowClearButton: cre Unable to translate selected text. hull default 0
- Field UserDefinedForm Live.DisableSaveSubmissions: created as tinyint(1) unsigned not null default 0
- Table UserDefinedForm versions: created
- Field UserDefinedForm_versions.ID: created as int(11) not null auto_increment
- Field UserDefinedForm_versions.RecordID: created as int(11) not null default 0
- Field UserDefinedForm versions.Version: created as int(11) not null default 0
- Field UserDefinedForm_versions.SubmitButtonText: created as varchar(50) character set utf8 collate utf8_general_ci
- Field UserDefinedForm_versions.OnCompleteMessage: created as mediumtext character set utf8 collate utf8_general_ci
- Field UserDefinedForm_versions.ShowClearButton: created as tinyint(1) unsigned not null default 0
- Field UserDefinedForm_versions.DisableSaveSubmissions: created as tinyint(1) unsigned not null default 0
- Index UserDefinedForm_versions.RecordID_Version: created as (RecordID, Version)
- Index UserDefinedForm_versions.RecordID: created as (RecordID)
- Index UserDefinedForm_versions.Version: created as (Version)
- Image
- Folder
- Image_Cached
- whois
- EditableCheckbox
- EditableDateField
- EditableEmailField
- EditableFileField
- Table EditableFileField: created
- Field EditableFileField.ID: created as int(11) not null auto_increment
- Field EditableFileField.UploadedFileID: created as int(11) not null default 0
- Index EditableFileField.UploadedFileID: created as (UploadedFileID)
- Table EditableFileField Live: created
- Field EditableFileField_Live.ID: created as int(11) not null auto_increment
- Field EditableFileField_Live.UploadedFileID: created as int(11) not null default 0
- Index EditableFileField_Live.UploadedFileID: created as (UploadedFileID)
- Table EditableFileField_versions: created
- Field EditableFileField_versions.ID: created as int(11) not null auto_increment
- Field EditableFileField_versions.RecordID: created as int(11) not null default 0
- Field EditableFileField_versions.Version: created as int(11) not null default 0
- Field EditableFileField versions.UploadedFileID: created as int(11) not null default 0
- Index EditableFileField_versions.RecordID_Version: created as (RecordID,Version)
- Index EditableFileField_versions.RecordID: created as (RecordID)
- Index EditableFileField_versions.Version: created as (Version)
- $\bullet \ \, \mathsf{Index} \, \mathsf{EditableFileField_versions.UploadedFileID:} \, \mathsf{created} \, \, \mathsf{as} \, \, \mathsf{(UploadedFileID)} \, \, \mathsf{and} \, \, \mathsf{(UploadedFileID)} \, \mathsf{(U$
- EditableFormHeading
- EditableLiteralField
- EditableMemberListField
- EditableMultipleOptionField
- EditableTextField
- EditableCheckboxGroupField
- EditableDropdown
- EditableRadioField
- SubmittedFileField
- Table SubmittedFileField: created
- Field SubmittedFileField.ID: created as int(11) not null auto_increment
- Field SubmittedFileField.UploadedFileID: created as int(11) not null default 0
- Index SubmittedFileField.UploadedFileID: created as (UploadedFileID)

ග

Website Error

There has been an error

The website server has not been able to respond to your request.

Unable to translate selected text.