





System	Linux www36.jnb2.host-h.net 2.6.26-2-686-bigmem #1 SMP Mon Jun 21 06:45:17 UTC 2010 i686
Build Date	Aug 4 2010 03:08:22
Server API	CGI/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/cgi
Loaded Configuration File	/usr/www/httpd/php5-ini/gciaor/php.ini
Scan this dir for additional .ini files	/etc/php5/cgi/conf.d
additional .ini files parsed	/etc/php5/cgi/conf.d/curl.ini, /etc/php5/cgi/conf.d/curl_pgsqfix_411982.ini, /etc/php5/cgi/conf.d/fix_pathinfo.ini, /etc/php5/cgi/conf.d/gd.ini, /etc/php5/cgi/conf.d/htscanner.ini, /etc/php5/cgi/conf.d/imap.ini, /etc/php5/cgi/conf.d/mcrypt.ini, /etc/php5/cgi/conf.d/mysql.ini, /etc/php5/cgi/conf.d/mysqli.ini, /etc/php5/cgi/conf.d/pcre.ini, /etc/php5/cgi/conf.d/pdo.ini, /etc/php5/cgi/conf.d/pdo_mysql.ini, /etc/php5/cgi/conf.d/pdo_pgsqfix_411982.ini, /etc/php5/cgi/conf.d/pgsql.ini, /etc/php5/cgi/conf.d/xmlrpc.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	zip, php, file, data, http, ftp, compress.bzip2, compress.zlib, https, ftps
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, convert.iconv.*, bzip2.*, zlib.*

This server is protected with the Suhosin Patch 0.9.6.2
 Copyright (c) 2006 [Hardened-PHP Project](#) 

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.2.0, Copyright (c) 1998-2008 Zend Technologies 

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
-----------	-------------	--------------

allow_call_time_pass_reference	On	On
allow_url_fopen	Off	Off
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6135	6135
expose_php	On	On
extension_dir	/usr/lib/php5/20060613+libs	/usr/lib/php5/20060613+libs
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/php:/usr/share/pear	./usr/share/php:/usr/share/pear
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	50	50
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	16M	16M

open_basedir	/usr/www/users/gciaor:/usr/www/users/gciaor:/usr/home/gciaor:/usr/local/rmagic:/usr/www/users/he/_system_:/usr/share/php:/usr/local/lib/php:/tmp:/usr/bin:/usr/local/bin:/usr/local/share/www	/usr/www/users/gciaor:/usr/www/users/gciaor:/usr/home/gciaor:/usr/local/rmagic:/usr/www/users/he/_system_:/usr/share/php:/usr/local/lib/php:/tmp:/usr/bin:/usr/local/bin:/usr/local/share/www
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	On	On
register_long_arrays	On	On
report_memleaks	On	On
report zend debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
suhosin.log.phpscript	0	0
suhosin.log.phpscript.is_safe	Off	Off
suhosin.log.phpscript.name	<i>no value</i>	<i>no value</i>
suhosin.log.sapi	<i>no value</i>	<i>no value</i>
suhosin.log.script	<i>no value</i>	<i>no value</i>
suhosin.log.script.name	<i>no value</i>	<i>no value</i>
suhosin.log.syslog	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.facility	<i>no value</i>	<i>no value</i>
suhosin.log.syslog.priority	<i>no value</i>	<i>no value</i>
suhosin.log.use-x-forwarded-for	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	/usr/home/gciaor/.tmp	/usr/home/gciaor/.tmp
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
-------------------------	---------

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.fix_pathinfo	1	1
cgi.nph	0	0
cgi.rfc2616_headers	0	0
fastcgi.logging	1	1

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.18.2 OpenSSL/0.9.8g zlib/1.2.3.3 libidn/1.8 libssh2/0.18

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	System/Localtime

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.32
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.25 2008/03/12 17:33:14 iliaa Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.42 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	2.0 or higher
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.7
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled

gettext

GetText Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

htscanner

htscanner support	enabled
Extension Version	\$Id: htscanner.c,v 1.21 2007/03/21 00:00:05 pajoye Exp \$
htaccess version	0.8.1

Directive	Local Value	Master Value
htscanner.config_file	.htaccess	.htaccess
htscanner.default_docroot	/	/
htscanner.default_ttl	300	300
htscanner.stop_on_error	0	0

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.7

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2004
SSL Support	enabled
Kerberos Support	enabled

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.6.32
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mime_magic

mime_magic support	invalid magic file, disabled
--------------------	------------------------------

Directive	Local Value	Master Value
mime_magic.debug	Off	Off
mime_magic.magicfile	/usr/share/file/magic.mime	/usr/share/file/magic.mime

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.51a
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient_r

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.51a
Client API header version	5.0.51a
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8g 19 Oct 2007

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.6 2008-01-28

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000000	1000000000
pcre.recursion_limit	1000000000	1000000000

PDO

PDO support	enabled
PDO drivers	mysql, pgsql

pdo_mysql

PDO Driver for MySQL, client library version	5.0.51a
--	---------

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	8.3.11
Module version	1.0.2
Revision	\$Id: pdo_pgsql.c,v 1.7.2.11.2.2 2007/12/31 07:20:10 sebastian Exp \$

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.3.11
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

posix

Revision	\$Revision: 1.70.2.3.2.18 \$
-----------------	------------------------------

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.50 2008/03/13 15:56:21 iliaa Exp \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/

session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/usr/home/gciaor/.tmp	/usr/home/gciaor/.tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.39 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject

Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfilterIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException
----------------	---

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Revision: 1.20.2.3.2.7 \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.32

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

zip

Zip	enabled
Extension Version	\$Id: php_zip.c,v 1.1.2.43 2008/01/18 00:51:38 pajoye Exp \$
Zip version	1.8.11
Libzip version	0.8.0-compatible

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.1.1
Linked Version	1.2.3.3

Directive	Local Value	Master Value
<code>zlib.output_compression</code>	Off	Off
<code>zlib.output_compression_level</code>	-1	-1
<code>zlib.output_handler</code>	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
PHPRC	/usr/www/httpd/php5-ini/gciaor
PATH	/usr/local/bin:/usr/bin:/bin
PWD	/usr/www/httpd/cgi-bin
SHLVL	0

PHP Variables

Variable	Value
PHP_SELF	/phpinfo.php
_REQUEST["PastMember"]	1
_COOKIE["PastMember"]	1
_SERVER["PHPRC"]	/usr/www/httpd/php5-ini/gciaor
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["PWD"]	/usr/www/httpd/cgi-bin
_SERVER["SHLVL"]	0
_SERVER["FCGI_ROLE"]	RESPONDER
_SERVER["REDIRECT_UNIQUE_ID"]	TJslEynLEiQAABlvh4cAAACx
_SERVER["REDIRECT_HANDLER"]	php5-script
_SERVER["REDIRECT_STATUS"]	200
_SERVER["UNIQUE_ID"]	TJslEynLEiQAABlvh4cAAACx
_SERVER["HTTP_HOST"]	www.gci.org.za
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.10) Gecko/20100914 Firefox/3.6.10 GTB7.1 (.NET CLR 3.5.30729)
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-gb,en;q=0.5
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_SERVER["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_SERVER["HTTP_KEEP_ALIVE"]	115
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_COOKIE"]	PastMember=1
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.9 (Debian) mod_ssl/2.2.9 OpenSSL/0.9.8g mod_perl/2.0.4 Perl/v5.10.0 Server at gci.org.za Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.9 (Debian) mod_ssl/2.2.9 OpenSSL/0.9.8g mod_perl/2.0.4 Perl/v5.10.0
_SERVER["SERVER_NAME"]	gci.org.za
_SERVER["SERVER_ADDR"]	41.203.18.36
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	41.240.11.6
_SERVER["DOCUMENT_ROOT"]	/usr/www/users/gciaor
_SERVER["SERVER_ADMIN"]	webmaster@gci.org.za
_SERVER["SCRIPT_FILENAME"]	/usr/www/users/gciaor/phpinfo.php
_SERVER["REMOTE_PORT"]	3939
_SERVER["REDIRECT_URL"]	/phpinfo.php
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["ORIG_SCRIPT_FILENAME"]	/home/httpd/cgi-bin/php5-fcgi-starter.fcgi
_SERVER["ORIG_PATH_INFO"]	/phpinfo.php
_SERVER["ORIG_PATH_TRANSLATED"]	/usr/www/users/gciaor/phpinfo.php
_SERVER["ORIG_SCRIPT_NAME"]	/cgi-sys/php5-fcgi-starter.fcgi
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["REQUEST_TIME"]	1285228563
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["PHPRC"]	/usr/www/httpd/php5-ini/gciaor
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin

_ENV["PWD"]	/usr/www/httpd/cgi-bin
_ENV["SHLVL"]	0
_ENV["FCGI_ROLE"]	RESPONDER
_ENV["REDIRECT_UNIQUE_ID"]	TJslEynLEiQAABlvh4cAAACx
_ENV["REDIRECT_HANDLER"]	php5-script
_ENV["REDIRECT_STATUS"]	200
_ENV["UNIQUE_ID"]	TJslEynLEiQAABlvh4cAAACx
_ENV["HTTP_HOST"]	www.gci.org.za
_ENV["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows; U; Windows NT 5.1; en-GB; rv:1.9.2.10) Gecko/20100914 Firefox/3.6.10 GTB7.1 (.NET CLR 3.5.30729)
_ENV["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_ENV["HTTP_ACCEPT_LANGUAGE"]	en-gb,en;q=0.5
_ENV["HTTP_ACCEPT_ENCODING"]	gzip,deflate
_ENV["HTTP_ACCEPT_CHARSET"]	ISO-8859-1,utf-8;q=0.7,*;q=0.7
_ENV["HTTP_KEEP_ALIVE"]	115
_ENV["HTTP_CONNECTION"]	keep-alive
_ENV["HTTP_COOKIE"]	PastMember=1
_ENV["SERVER_SIGNATURE"]	<address>Apache/2.2.9 (Debian) mod_ssl/2.2.9 OpenSSL/0.9.8g mod_perl/2.0.4 Perl/v5.10.0 Server at gci.org.za Port 80</address>
_ENV["SERVER_SOFTWARE"]	Apache/2.2.9 (Debian) mod_ssl/2.2.9 OpenSSL/0.9.8g mod_perl/2.0.4 Perl/v5.10.0
_ENV["SERVER_NAME"]	gci.org.za
_ENV["SERVER_ADDR"]	41.203.18.36
_ENV["SERVER_PORT"]	80
_ENV["REMOTE_ADDR"]	41.240.11.6
_ENV["DOCUMENT_ROOT"]	/usr/www/users/gciaor
_ENV["SERVER_ADMIN"]	webmaster@gci.org.za
_ENV["SCRIPT_FILENAME"]	/usr/www/users/gciaor/phpinfo.php
_ENV["REMOTE_PORT"]	3939
_ENV["REDIRECT_URL"]	/phpinfo.php
_ENV["GATEWAY_INTERFACE"]	CGI/1.1
_ENV["SERVER_PROTOCOL"]	HTTP/1.1
_ENV["REQUEST_METHOD"]	GET
_ENV["QUERY_STRING"]	<i>no value</i>
_ENV["REQUEST_URI"]	/phpinfo.php
_ENV["SCRIPT_NAME"]	/phpinfo.php
_ENV["ORIG_SCRIPT_FILENAME"]	/home/httpd/cgi-bin/php5-fcgi-starter.fcgi
_ENV["ORIG_PATH_INFO"]	/phpinfo.php
_ENV["ORIG_PATH_TRANSLATED"]	/usr/www/users/gciaor/phpinfo.php
_ENV["ORIG_SCRIPT_NAME"]	/cgi-sys/php5-fcgi-starter.fcgi

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.